

KLEIN

Telescopic doors



EXTENDO®

Synchronized Glass Doors
Puertas Correderas Sincrónicas



EXTENDO® 4



EXTENDO® 2



EXTENDO® CORNER

ENG

Extendo® is a telescopic door system designed to divide space through simultaneous sliding frameless glass doors providing a large opening with a minimal storing space.

- Ideal for conference rooms, offices, kitchen, bedroom entrances, etc.
- Innovative system for high end projects leaving a clear opening up to 16'-8".
- Synchronized opening system of 2, 3 or 4 doors.
- Clean opening free of floor tracks.
- Glass panels held through high weight capacity pressure clamps with no glass drillings (use of tempered or laminated glass).
- Use of 3/8" and 1/2" glass panels up to 10' high.
- Pre-mounted and pre-tensed belt for a quicker and easier assembly.
- "Silver" anodized aluminium profile (AA10 ISO 7599, 10 microns).
- Ball bearing system for quiet and soft opening.
- Wall, ceiling and dropped ceiling mounted.


Systems tested up to 100.000 cycles as per European standard EN1527.

ESP


Extendo® está diseñado para dividir ambientes mediante un sistema de paneles de vidrio telescópico y sincrónico generando una luz de paso mayor con una zona de aparcamiento reducida.

- Ideal para dividir espacios instalándolo en cocinas, salones, habitaciones, oficinas, salas de conferencia...
- Sistema innovador para proyectos contemporáneos buscando abrir espacios amplios hasta 16'-8".
- Sistema de apertura sincronizada de 2, 3 o 4 puertas.
- Zona de paso limpia sin riel en el suelo.
- Sujeción de la puerta mediante mordazas a presión sin mecanización del cristal (vidrio templado o laminado).
- Vidrio de 3/8" o 1/2".
- Sistema de transmisión premontado y pretensado para un montaje rápido.
- Perfil de aluminio anodizado "Silver" (AA10 ISO 7599, 10 micras).
- Rodamientos de bolas para apertura suave.
- Instalación a pared, a techo, o falso techo.

Sistemas testados hasta 100.000 ciclos según la norma EN1527.


EXTENDO®

CLEAR OPENING / LUZ DE PASO




EXTENDO 2

MIN.	MAX.
1.250 mm 4'-1"	2.550 mm 8'-4"




EXTENDO 3

MIN.	MAX.
1.725 mm 5'-8"	2.775 mm 9'-1"



EXTENDO 4


MIN.	MAX.
2.400 mm 7'-10"	3.100 mm 10'-2"



EXTENDO 2+2

MIN.	MAX.
2.500 mm 8'-2"	5.100 mm 16'-8"



Dimensions that are in mm are exact; those in inches are approximate.



- Accessories available for diverse combinations of applications. Option of combining fixed glass panels and wood panels.
- Accesorios disponibles para diversas combinaciones de aplicaciones. Posibilidad de combinar paneles fijos de vidrio y de madera.

Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 2







Ref.	L	Lp	hv(Height)
G 1	1.250-1.550 mm (4' 1" -5' 1")	2.500 mm (98")	≤ 3.000 mm (10')
G 2	1.550-1.900 mm (5' 1" - 6' 3")	3.000 mm (118")	≤ 3.000 mm (10')
G 3	1.900-2.200 mm (6' 3" - 7' 3")	3.500 mm (137")	≤ 3.000 mm (10')
G 4	2.200-2.550 mm (7' 3" - 8' 4")	4.000 mm (157")	≤ 3.000 mm (10')

$L \leq \frac{2}{3} P - 85 \text{ mm (3 3/8")}$	$D \geq \frac{P}{3} + 85 \text{ mm (3 3/8")}$	$D \geq \frac{L}{2} + 125 \text{ mm (5")}$	$P = L + D$	$Lv = \frac{L}{2} + 75 \text{ mm (3")}$
---	---	--	-------------	---



Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 2



Dimensions that are in mm are exact; those in inches are approximate.





EXTENDO® 3



Ref.	L	Lp	hv (Height)
G 1	1.725-2.175 mm (5' 8" - 7' 2")	4.000 mm (157")	≤ 3.000 mm (10')
G 2	2.175-2.775 mm (7' 2" - 9' 1")	5.000 mm (196")	≤ 3.000 mm (10')



$L \leq \frac{3}{5} P - 180 \text{ mm (7 1/6")}$	$D \geq \frac{P}{5} + 90 \text{ mm (3 9/16")}$	$D \geq \frac{L}{3} + 150 \text{ mm (5 15/16")}$	$P = D \times 2 + L$	$L_v = \frac{L}{3} + 100 \text{ mm (4")}$
--	--	--	----------------------	---

Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 3

Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 4







Ref.	L	Lp	hv
G 1	2.400-3.100 mm (7' 10" - 10' 2")	5.000 mm (196")	≤ 3.000 mm (10')

$L \leq \frac{2}{3}P - 170 \text{ mm (6 11/16")}$	$D \geq \frac{P}{6} + 85 \text{ mm (3 3/8")}$	$D \geq \frac{L}{4} + 125 \text{ mm (5")}$	$P = Dx2 + L$	$Lv = \frac{L}{4} + 75 \text{ mm (3")}$
---	---	--	---------------	---



Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 4



Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 2+2







Ref.	L	Lp	hv _(Height)
G 1	2.500-3.100 mm (8' 2" - 10' 2")	2.500 mm (98") x2	≤ 3.000 mm (10')
G 2	3.100-3.800 mm (10' 2" - 12' 6")	3.000 mm (118") x2	≤ 3.000 mm (10')
G 3	3.800-4.400 mm (12' 6" - 14' 5")	3.500 mm (137") x2	≤ 3.000 mm (10')
G 4	4.400-5.100 mm (14' 5" - 16' 9")	4.000 mm (157") x2	≤ 3.000 mm (10')

$L \leq \frac{2}{3}P - 170 \text{ mm (6 11/16")}$	$D \geq \frac{P}{6} + 85 \text{ mm (3 3/8")}$	$D \geq \frac{L}{4} + 125 \text{ mm (5")}$	$P = D \times 2 + L$	$Lv = \frac{L}{4} + 75 \text{ mm (3")}$
---	---	--	----------------------	---

Dimensions that are in mm are exact; those in inches are approximate.

EXTENDO® 2+2



Dimensions that are in mm are exact; those in inches are approximate.

REFERENCES / REFERENCIAS

ENG

EXTENDO® 2 - 3/8" Glass		
Ref.	Description	Img.
8111	KIT EXTENDO 2 DOORS, RIGHT, G-1 (3/8" GLASS) 98" TRACK	A
8112	KIT EXTENDO 2 DOORS, RIGHT, G-2 (3/8" GLASS) 118" TRACK	A
8113	KIT EXTENDO 2 DOORS, RIGHT, G-3 (3/8" GLASS) 137" TRACK	A
8114	KIT EXTENDO 2 DOORS, RIGHT, G-4 (3/8" GLASS) 157" TRACK	A
8121	KIT EXTENDO 2 DOORS, LEFT, G-1 (3/8" GLASS) 98" TRACK	A
8122	KIT EXTENDO 2 DOORS, LEFT, G-2 (3/8" GLASS) 118" TRACK	A
8123	KIT EXTENDO 2 DOORS, LEFT, G-3 (3/8" GLASS) 137" TRACK	A
8124	KIT EXTENDO 2 DOORS, LEFT, G-4 (3/8" GLASS) 157" TRACK	A

EXTENDO® 2 - 1/2" Glass		
Ref.	Description	Img.
8116	KIT EXTENDO 2 DOORS, RIGHT, G-1 (1/2" GLASS) 98" TRACK	A
8117	KIT EXTENDO 2 DOORS, RIGHT, G-2 (1/2" GLASS) 118" TRACK	A
8118	KIT EXTENDO 2 DOORS, RIGHT, G-3 (1/2" GLASS) 157" TRACK	A
8119	KIT EXTENDO 2 DOORS, RIGHT, G-4 (1/2" GLASS) 157" TRACK	A
8126	KIT EXTENDO 2 DOORS, LEFT, G-1 (1/2" GLASS) 98" TRACK	A
8127	KIT EXTENDO 2 DOORS, LEFT, G-2 (1/2" GLASS) 118" TRACK	A
8128	KIT EXTENDO 2 DOORS, LEFT, G-3 (1/2" GLASS) 157" TRACK	A
8129	KIT EXTENDO 2 DOORS, LEFT, G-4 (1/2" GLASS) 157" TRACK	A

EXTENDO® 3 Doors		
Ref.	Description	Img.
8240	KIT EXTENDO 3 DOORS (1/2" GLASS) 196" TRACK	A

EXTENDO® 4 Doors		
Ref.	Description	Img.
8133	KIT EXTENDO 4 DOORS, G-1 (3/8" GLASS) 196" TRACK	A
8134	KIT EXTENDO 4 DOORS, G-1 (1/2" GLASS) 196" TRACK	A

Additional Components		
Ref.	Description	Img.
1652	WALL FIXING TRACK EXTENDO 118"	B
1654	WALL FIXING TRACK EXTENDO 157"	B
1662	SET OF UPPER TRACKS FOR FIXED GLASS EXTENDO 118"	C
1664	SET OF UPPER TRACKS FOR FIXED GLASS EXTENDO 157"	C
1665	SET OF UPPER TRACKS FOR FIXED GLASS EXTENDO 196"	C
1682	SET UPPER TRACKS FOR FIXED GLASS EXTENDO 118" DROPPED CEILING	E
1684	SET UPPER TRACKS FOR FIXED GLASS EXTENDO 157" DROPPED CEILING	E
1685	SET UPPER TRACKS FOR FIXED GLASS EXTENDO 196" DROPPED CEILING	E
1691	BOTTOM TRACK FOR FIXED GLASS EXTENDO 78"	D
1693	SET OF SHORT END CAPS FOR EXTENDO TOP TRACK	F
1694	SET OF LONG END CAPS FOR EXTENDO TOP TRACK	G

ESP

EXTENDO® 2 - vidrio 3/8"		
Ref.	Descripción	Img.
8111	KIT EXTENDO 2 PUERTAS, DERECHA, G-1 (VIDRIO 3/8") PERFIL 98"	A
8112	KIT EXTENDO 2 PUERTAS, DERECHA, G-2 (VIDRIO 3/8") PERFIL 118"	A
8113	KIT EXTENDO 2 PUERTAS, DERECHA, G-3 (VIDRIO 3/8") PERFIL 137"	A
8114	KIT EXTENDO 2 PUERTAS, DERECHA, G-4 (VIDRIO 3/8") PERFIL 157"	A
8121	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-1 (VIDRIO 3/8") PERFIL 98"	A
8122	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-2 (VIDRIO 3/8") PERFIL 118"	A
8123	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-3 (VIDRIO 3/8") PERFIL 137"	A
8124	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-4 (VIDRIO 3/8") PERFIL 157"	A

EXTENDO® 2 - vidrio 1/2"		
Ref.	Descripción	Img.
8116	KIT EXTENDO 2 PUERTAS, DERECHA, G-1 (VIDRIO 1/2") PERFIL 98"	A
8117	KIT EXTENDO 2 PUERTAS, DERECHA, G-2 (VIDRIO 1/2") PERFIL 118"	A
8118	KIT EXTENDO 2 PUERTAS, DERECHA, G-3 (VIDRIO 1/2") PERFIL 157"	A
8119	KIT EXTENDO 2 PUERTAS, DERECHA, G-4 (VIDRIO 1/2") PERFIL 157"	A
8126	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-1 (VIDRIO 1/2") PERFIL 98"	A
8127	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-2 (VIDRIO 1/2") PERFIL 118"	A
8128	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-3 (VIDRIO 1/2") PERFIL 157"	A
8129	KIT EXTENDO 2 PUERTAS, IZQUIERDA, G-4 (VIDRIO 1/2") PERFIL 157"	A

EXTENDO® 3 Puertas		
Ref.	Descripción	Img.
8240	KIT EXTENDO 3 puertas (VIDRIO 1/2") PERFIL 196"	A

EXTENDO® 4 Puertas		
Ref.	Descripción	Img.
8133	KIT EXTENDO 4 PUERTAS, G-1 (VIDRIO 3/8") PERFIL 196"	A
8134	KIT EXTENDO 4 PUERTAS, G-1 (VIDRIO 1/2") PERFIL 196"	A

Accesorios adicionales		
Ref.	Descripción	Img.
1652	SOPORTE PARED EXTENDO 118"	B
1654	SOPORTE PARED EXTENDO 157"	B
1662	JGO. PF. VIDRIO FIJO EXTENDO 118"	C
1664	JGO. PF. VIDRIO FIJO EXTENDO 157"	C
1665	JGO. PF. VIDRIO FIJO EXTENDO 196"	C
1682	JGO. PF. VIDRIO FIJO EXTENDO 118" PARA FALSO TECHO	E
1684	JGO. PF. VIDRIO FIJO EXTENDO 157" PARA FALSO TECHO	E
1685	JGO. PF. VIDRIO FIJO EXTENDO 196" PARA FALSO TECHO	E
1691	PF. INF. VIDRIO FIJO EXTENDO 78"	D
1693	JGO. TAPAS LATERALES CORTAS	F
1694	JGO. TAPAS LATERALES LARGAS	G



A



B



C



D



E



F



G

KLEIN

KLEIN USA, Inc.®
1 Madison Street
East Rutherford, NJ 07073

Phone: 973 246 8181
Fax: 973 246 8362
info@klein-usa.com
www.klein-usa.com

Follow us on social media
Síguenos en redes

