

KLEIN

Sliding doors with soft closing system



ROLLGLASS+

Interior Design Glass
Interiorismo vidrio



reddot award 2018
winner



SILVER



BRONZE



BLACK



KBS



KSC

ENG

Rollglass+: creates a glass front that combines fixed and mobile glass panels on a single track. It can be hidden in a drop ceiling for a completely minimalist effect. Versatile and flexible, it allows for various combinations, down to the smallest detail.

- Installation on ceiling or in drop ceiling.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjustment, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
 - Direct access to the clamp.
 - System embedded in drop ceiling: two-phase assembly for easy installation.
 - Bottom profile in a double "L" shape for easy frontal insertion of the glass.
- Clean, innovative design.
- Available with or without bottom profile for the fixed glass.
- 3/8" or 1/2" glass, weighing up to 330 lbs per sliding panel.
- Height adjustment of +/- 1/8".*
- Silver, Black and Bronze anodized aluminum profiles.
- Silent and effortless sliding.
- Five-year KLEIN® warranty.
- Soft closing options:
 - **KSC, Klein Soft Closing:** Smooth, controlled closing.
 - **KBS, Klein Brake System:** Stop with damper brake. Standard for the entire line.*


ESP

Rollglass+: crea un frente acristado que combina paneles de vidrio fijos y móviles mediante una única guía. Puede esconderse en falso techo para un efecto absolutamente minimalista. Versátil y flexible, permite variadas combinaciones y cuida todos los detalles.


- Instalación a techo o a falso techo.
- Perfil especial para falso techo, con aletas escondidas para una máxima integración arquitectónica.
- Nueva mordaza: centraliza todas las prestaciones del sistema: regulación en altura, activación del mecanismo de frenado, y dispositivo antidescabalgamiento.
- Montaje rápido e intuitivo:
 - Acceso directo a la mordaza.
 - Sistema empotrado a falso techo: montaje en dos fases para una instalación eficiente.
 - Perfil inferior en "L" para una fácil inserción frontal del vidrio.
- Diseño limpio e innovador.
- Disponible con o sin perfil inferior para el vidrio fijo.
- Vidrio de 3/8" o 1/2", hasta 330 lbs por hoja corredera.
- Regulación de la altura de +/- 1/8".*
- Perfil de aluminio anodizado Silver, Negro y Bronce.
- Deslizamiento silencioso y con mínimo esfuerzo.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
 - **KSC, Klein Soft Closing:** Detención suave controlada.
 - **KBS, Klein Brake System:** Tope con freno amortiguador. De serie en toda la gama.*

*Valid for ROLLGLASS+ 100 / Válido para ROLLGLASS+ 100.



ROLLGLASS+ 100



ROLLGLASS+ 150






Exposed / Visto





ROLLGLASS+ 100

ROLLGLASS+ 150




Recessed / Empotrado





ROLLGLASS+ 100

ROLLGLASS+ 150



Y2 / Z2
See our mounting instructions /
Ver nuestra hoja de instrucciones



KSC ROLLGLASS+ 100 V ≥ 800 mm (31 1/2")

KSC ROLLGLASS+ 150 V ≥ 1000 mm (39")

REFERENCES / REFERENCIAS

ENG

ROLLGLASS+ 100 SILVER			
Ref.	Description	Units	Img.
8453	KIT RG+ 100 KSC 118" TRACKS	1	A+E
8454	KIT RG+ 100 KSC 157" TRACKS	1	A+E
8463	KIT RG+ 100 KBS 118" TRACKS	1	A+F
8464	KIT RG+ 100 KBS 157" TRACKS	1	A+F
2493	RECESSED TRACK RG+ 118"	1	B
2494	RECESSED TRACK RG+ 157"	1	B
8400	SET OF ACC. RG+ 100 KSC	1	E
8450	SET OF ACC. RG+ 100 KBS	1	F

ROLLGLASS+ 150 SILVER			
Ref.	Description	Units	Img.
8593	KIT RG+ 100 KSC 118" TRACKS	1	A + K
8594	KIT RG+ 100 KSC 157" TRACKS	1	A + K
8490	SET OF ACC. RG+ 150 KSC SILVER	1	K

ROLLGLASS+ 150 BLACK			
Ref.	Description	Units	Img.
8597	KIT RG+ 150 KSC 118" TRACKS	1	D+M
8598	KIT RG+ 150 KSC 157" TRACKS	1	D+M
8492	SET OF ACC. RG+ 150 KSC BLACK	1	M

ESP

ROLLGLASS+ 100 SILVER			
Ref.	Descripción	U.	Img.
8453	KIT RG+ 100 KSC PERFIL 118"	1	A+E
8454	KIT RG+ 100 KSC PERFIL 157"	1	A+E
8463	KIT RG+ 100 KBS PERFIL 118"	1	A+F
8464	KIT RG+ 100 KBS PERFIL 157"	1	A+F
2493	PERFIL FALSO TECHO RG+ 118"	1	B
2494	PERFIL FALSO TECHO RG+ 157"	1	B
8400	JGO. ACC. RG+ 100 KSC	1	E
8450	JGO. ACC. RG+ 100 KBS	1	F

ROLLGLASS+ 150 SILVER			
Ref.	Descripción	U.	Img.
8593	KIT RG+ 150 KSC PERFIL 118"	1	A + K
8594	KIT RG+ 150 KSC PERFIL 157"	1	A + K
8490	JGO. ACC. RG+ 150 KSC SILVER	1	K

ROLLGLASS+ 150 NEGRO			
Ref.	Descripción	U.	Img.
8597	KIT RG+ 150 KSC PERFIL 118"	1	D+M
8598	KIT RG+ 150 KSC PERFIL 157"	1	D+M
8492	JGO. ACC. RG+ 150 KSC NEGRO	1	M

ROLLGLASS+ 100 BLACK			
Ref.	Description	Units	Img.
8457	KIT RG+ 100 KSC 118" TRACKS	1	D+I
8458	KIT RG+ 100 KSC 157" TRACKS	1	D+I
8467	KIT RG+ 100 KBS 118" TRACKS	1	D+J
8468	KIT RG+ 100 KBS 157" TRACKS	1	D+J
8402	SET OF ACC. RG+ 100 KSC	1	I
8452	SET OF ACC. RG+ 100 KBS	1	J

ROLLGLASS+ 100 BRONZE			
Ref.	Description	Units	Img.
8455	KIT RG+ 100 KSC 118" TRACKS	1	C+G
8456	KIT RG+ 100 KSC 157" TRACKS	1	C+G
8465	KIT RG+ 100 KBS 118" TRACKS	1	C+H
8466	KIT RG+ 100 KBS 157" TRACKS	1	C+H
8401	SET OF ACC. RG+ 100 KSC	1	G
8451	SET OF ACC. RG+ 100 KBS	1	H

ROLLGLASS+ 150 BRONZE			
Ref.	Description	Units	Img.
8595	KIT RG+ 150 KSC 118" TRACKS	1	C+L
8596	KIT RG+ 150 KSC 157" TRACKS	1	C+L
8591	SET OF ACC. RG+ 150 KSC BRONZE	1	L

ROLLGLASS+ 100 NEGRO			
Ref.	Descripción	U.	Img.
8457	KIT RG+ 100 KSC PERFIL 118"	1	D+I
8458	KIT RG+ 100 KSC PERFIL 157"	1	D+I
8467	KIT RG+ 100 KBS PERFIL 118"	1	D+J
8468	KIT RG+ 100 KBS PERFIL 157"	1	D+J
8402	JGO. ACC. RG+ 100 KSC	1	I
8452	JGO. ACC. RG+ 100 KBS	1	J

ROLLGLASS+ 100 BRONZE			
Ref.	Descripción	U.	Img.
8455	KIT RG+ 100 KSC PERFIL 118"	1	C+G
8456	KIT RG+ 100 KSC PERFIL 157"	1	C+G
8465	KIT RG+ 100 KBS PERFIL 118"	1	C+H
8466	KIT RG+ 100 KBS PERFIL 157"	1	C+H
8401	JGO. ACC. RG+ 100 KSC	1	G
8451	JGO. ACC. RG+ 100 KBS	1	H


ROLLGLASS+ 150 BRONZE			
Ref.	Descripción	U.	Img.
8595	KIT RG+ 150 KSC PERFIL 118"	1	C+L
8596	KIT RG+ 150 KSC PERFIL 157"	1	C+L
8591	JGO. ACC. RG+ 150 KSC BRONZE	1	L



A




B



C




D




E




F




G




H




I




J




K



L



M



1

2

1

PROFILE'S DIMENSION /
MEDIDAS DE LA PERFLERIA

A	Upper profile lenght / Longitud del perfil superior
1	A – 0,5 mts
2	A / 2

KLEIN

KLEIN USA, Inc.®
1 Madison Street
East Rutherford, NJ 07073

Phone: 973 246 8181
Fax: 973 246 8362
info@klein-usa.com
www.klein-usa.com

Follow us on social media
Síguenos en redes

